

| Name Leask Cr | eek N 55° 30' 35" W 131° 30' 54" No. Ketchikan C-5 ad of George Inlet | Catalog No. | 101-45-32 | 1-45-10326 |
|-------------------------|---|-------------------------|--------------------|--|
| Latitude | N 55° 30' 35" | WR No. 89 | | The state of the s |
| Longitude | W 131° 30' 54" | K No. 95 | | er en |
| Geodetic Map | No. Ketchikan C-5 | Work Area | Ketchikan | The second secon |
| Location NW he | ad of George Inlet | Watershed Leng | th 3.5 miles | en minerario regionare del traballetto apparettario verso appropriategica de regionale (n. 1864) e |
| Drainage Area | of Watershed | | | |
| | Type Lakes located 2. | .3 miles upstream. | | |
| | | | | |
| | ey Routes <u>Easy walk</u> i | ing - game trail int | ermittent, walking | ng okay along |
| streambed. | Notes Good aerial | -J-J1-J1-J | 1 1 1 | |
| Aerial Survey | Notes Good aerial v | visibility chances a | long upper length | n surveyed. |
| Anchorage N | orth shore of cove offers | s fair anchorage: 10 | -15 fathoms: sand | 1 and gravel |
| bottom. | | | | |
| Tide Stage Wh | en Surveyed <u>lst l</u> | nalf of flood. | | |
| FISHERY RESOU | RCES | | | |
| Commercial | Fisheries Pink, socke | eye | | |
| | 7.0/0 | | | 100 |
| Iscapement 7 chum '55 - | 1940 - 2000 pink; '41 - 5 1000 red; '56 1500 pink, | 3000 pink; '4/ - 3/5 | pink, 8 chum; '4 | 49 - 420 pink. |
| | 1: 9197 m ² (5000'x30'x66 | 0 707) | | |
| | sition: 90% pink, 5% ch | | | |
| Timing | Control on Oatalon | <u> </u> | | alle and talle in the year failed spell and control deleter some instances to a least of the set o |
| Schooling a | e - September, October. reas Schooling in wi | indfall pools only: | especially just a | above Station |
| #3 . | | | | |
| Shellfish F | otential <u>None - in</u> | tertidal rocky. | | |
| | | | | |
| Sport Fishe | ries Good steelhea | ad/rainbow; cutthroa | t. | naakkassassake (Kristina esissaksina eerineen korjo ja pool (* 1866) oo 1866 - 1872 (* |
| Tand Use at | Present None | | | emelicace has a standard recorder of the service of |
| | | | | |
| History of | Land Use None. Cal | oin located on north | shore of cove. | |
| Dahahilitat | ion Dotonticl No. | | | |
| only above St | ion Potential No 1 | renab, work required | . Access for con | no and sockeye |
| Soils Gene | rally very level and stal | ble. Small amount o | f downslope mover | ment at |
| Station #3. | rarry very rever and bear | JIC V DIRECTI CHICAGO O | 1 downstope mover | EE Con E A Con |
| | | | | ging grows and the delice of the delice of the delice of the delice of the growing and the second of the delice of |
| GANE RESOURCES | | | | |
| Bear | Fish carcasses or bones | (old or fresh) on | banks, estimate | 0 |
| | Number of droppings | (0.24 01 11 0011) 01 | 000000 | 40 |
| Geese | Number seen on tide fla | its | | 0 |
| | Number seen up creek | | | 0 |
| | Number of broods seen | | | 0 |
| Mallards | | ets | | 0 |
| | Number seen up breek | | | 0 |
| | Number of broods seen | | | 0 |
| Mergansers - | Number of broods seen | | | 0 |
| Bald Eagles- | | - | | 15 |
| - | Number of nests seen ar | nd location | | 0 |
| Seals | Number seen at mouth of | ? stream | | 0 |
| Tide flats - | Estimate length along b | each | | 0 |
| | Estimate depth out from | | | 0 |
| | Eel grass present on wh | | ; | 0 |

Leask Creek 101-45-32

| 101-45-32 | | | | |
|-----------|--------|-------|--------------------|---|
| DATE | PINK | CHUM | OTHER SPECIES | REMARKS |
| 9-10-40 | 2,000 | | | 1000 fish off mouth. |
| 9-28-41 | 15,000 | | | |
| 10-5-47 | 375 | 8 | | |
| 9-16-49 | 417 | 6 | | |
| 9-6-53 | | | coho, red present. | Few fish in stream. |
| 7-28-55 | ! : | | 1000 red | |
| eason '56 | 1,500 | 1,500 | | Season, by stream guard. |
| 7-5-57 | | | 400 reds. | |
| 6-21-61 | | | | None observed. |
| 8-26-62 | | | | 30 @ mouth, 400 in bay. |
| 8-8-63 | | | | 200 @ mouth. Poor vis - good showing off mouth. N.O. I.T. |
| 7-20-64 | | | | I.T. survey only. Vis. poor. |
| 7-27-65 | | | | Jumps at mouth. Vis. fair. |
| 8-10-66 | | | | 500 @ mouth. Poor vis. |
| 8-19-68 | | | | 2000 @ mouth, vis good @ mouth |
| 8-4-69 | | | | N.O. |
| 8-25-70 | | | | 5000 @ mouth. Vis. excellent. |
| 7-10-74 | | | | 2 @ mouth. Visibility good. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | - 166 - | |